

## ALL TRADES MANUFACTURING PTY LTD UNIT 11/5 HUDSON AVENUE, CASTLE HILL NSW 2154

PH - 02 8850 2700 www.all-trades.com.au FAX 02 8850 2701 email; sales@all-trades.com.au

ABN: 27363290799

"A-Z Product Solutions for Trade and Industry"





## FLAMMABLE STORAGE CABINETS

Flammable Safety Storage Cabinets provide a safe, close-by, secure and time-saving method for storing all types of dangerous chemicals and help you to maintain good housekeeping practices.

All Justrite cabinets are fire tested to comply with the FM rating, something no other cabinet sold in Australia can claim, they also not only comply, but exceed Australian Standard AS1940. They help companies by providing product near to the workplace thus avoiding the time consuming and often risky practice of collecting from an outside storage facility.

Fully welded construction - 1.2mm steel - Double wall - 40mm thermal barrier
Superior electrostatic high gloss powder coat paint finish / Dual vents with built in flash arresters
Close fitting, sequential self closing and latching doors / 3 point locking mechanisms
Leakproof fully welded 150mm deep containment sump / Shelves with built in troughs to contain spills
Adjustable shelf height increments to maximise space storage
Adjustable levelling feet to prevent doors binding
Fire tested, FM Approved exceeds AS1940 compliance



#### **INDUSTRIAL SAFETY CAN STORAGE**



Safety Can Storage CAT.NO. AU25602 350Lt Capacity 3 Shelves / 15 x 20 Litre Drums



Safety Can Storage CAT.NO. AU25452 250Lt Capacity 3 Shelves / 9 x 20 Litre Drums



Safety Can Storage CAT.NO. AU25302 160Lt Capacity 2 Shelves / 6 x 20 Litre Drums



Safety Can Storage CAT.NO. AU25712 60Lt Capacity 2 Shelves

#### DRUM SAFETY STORAGE

#### COMPAC SAFETY CAN STORAGE



Under Bench Storage CAT.NO. AU25748 100Lt Capacity 2 Shelves



Compac Storage CAT.NO. AU25714 30Lt Capacity 2 Shelves



Horizontal Drum Storage CAT.NO. AU25662 207Lt Capacity 2 Door



Vertical Drum Storage CAT.NO. AU25701 207Lt Capacity 2 Door with rollers

## **NEW SLIM LINE**





New Slim Line Storage Cabinets CAT.NO. AU25304 / AU25308 Capacity: 110 & 170 Litre

Drum Cab	nets Yellow Powder Paint Finish	Approval	Weight	H x W x D mm
AU25662	207 Litre Horizontal Drum , 2 Door		68.3	1385 x 765 x 1225
AU25701	207 Litre Vertical Drum, 2 Door with base Rollers		192.8	1760 x 870 x 870
AU25701W	207 Litre Vertical Drum, 2 Door for Waste Products		170.0	1760 x 870 x 870
Storage Cabinet	sYellow Powder Paint Finish			
AU25302	160 Litre, 2 Shelves, 2 Door, 6 x 20 Litre Drums	FM	104.8	1230 x 1100 x 465
AU25452	250 Litre, 3 Shelves, 2 Door, 9 x 20 Litre Drums	FM	142.0	1760 x 1100 x 465
AU25602	350 Litre, 3 Shelves, 2 Door, 15 x 20 Litre Drums	FM	177.8	1760 x 870 x 870
Under Bench Ca	abinetYellow Powder Paint Finish			
AU25748	100 Litre, 2 Shelves, 2 Doors	FM	86.1	800 x 920 x 565
Compac Storage	e CabinetYellow Powder Paint Finish			
AU25712	60 Litre, 2 Shelves, 1 Door	FM	59.0	1005 x 595 x 465
AU25714	30 Litre, 2 Shelves, 1 Door	FM	45.0	800 x 595 x 465
Slim Line Storag	ge CabinetYellow Powder Paint Finish			
AU25304	110 Litre, 2 Shelves, 1 Door	FM	95.0	1230 x 670 x 465
AU25308	170 Litre, 3 Shelves, 1 Door	FM	105.0	1760 x 670 x 465
1				

## **CORROSIVE STORAGE CABINETS**



Corrosive Substance Storage Cabinets have a Polyethylene tray on each shelf to collect any accidental spillages. Designed to withstand fire these cabinets provide a safe environment to store most corrosive chemicals. If you need to store chemicals such as Phenol, Nitric Acid, Sulphuric Acid or other substances with highly corrosive vapours, we suggest you look at the all Polyethylene Cabinets.

These Cabinets are manufactured to comply with AS 3780 for the safe storage of Corrosive Substances.



Storage Cabinet CAT.NO. AU25602B Capacity 350 Lt 3 Shelves 15 x 20 Litre Drums



Storage Cabinet CAT.NO. AU25452B Capacity 250 Lt 3 Shelves 9 x 20 Litre Containers



Storage Cabinet CAT.NO. AU25302B Capacity 160 Lt 2 Shelves 6 x 20 Litre Containers



Storage Cabinet CAT.NO. AU25748B Capacity 100 Lt 2 Shelves



Storage Cabinet
AU25712B - Capacity 60 Lt
AU25714B - Capacity 30 Lt
Single Door, 2 shelves



Polyethylene Storage Cabinet CAT.NO. 24160 Capacity: 30 Lt 2 Shelves



Polyethylene Storage Cabinet CAT.NO. AU24040 1 Shelf

Corr	Corrosives Storage Cabinets		oval Weight Kg	ght Kg H x W x D mr	
Blue Powder P	aint Finish				
AU25602B	350 Litre, 3 Shelves, 2 Door, 15 x 20 Litre Drums	FM	177.8	1760 x 870 x 870	
AU25452B	250 Litre, 3 Shelves, 2 Door, 9 x 20 Litre Drums	FM	43.8	1760 x 1100 x 465	
AU25302B	160 Litre, 2 Shelves 2 Door, 6 x 20 Litre Drums	FM	109.8	1230 x 1100 x 465	
AU25748B	100 Litre, 2 Shelves, 2 Door	FM	86.1	800 x 920 x 565	
AU25712B	60 Litre, 2 Shelves, 1 Door	FM	59.0	1005 x 595 x 465	
AU25714B	30 Litre, 2 Shelves, 1 Door	FM	45.0	800 x 595 x 465	
Blue Polyethyl	ene Construction				
24040	15 Litre, 1 Door , 1 Shelf		14.0	500 x 365 x 415	
24160	30 Litre, 2 Door, 2 Shelves		59.0	890 x 920 x 565	

## **Organic Peroxide Storage Cabinets**

These Cabinets are designed to comply with AS 2714 and have a sump capacity equal to the total of the contents of the Cabinet. They are designed so that in the event of pressure build up the doors will open outwards. The doors or held closed by fiction type mechanism.

For this reason the maximum capacity of a Cabinet is 100 kg or 100 L.



Storage Cabinet CAT.NO. AU25452OP Capacity 100 Litre 3 Shelves



Storage Cabinet CAT.NO. AU25302OP Capacity 80 Litre 2 Shelves



Storage Cabinet CAT.NO. AU25748OP Capacity 60 Litre 2 Shelves



Storage Cabinet CAT.NO. AU25712OP Capacity 50 Lt Single Door

Organic Pero	xide Storage Cabinets	Approval	Weight Kg	H x W x D mm
Yellow Powder Pa	aint Finish			
AU25452OP	100 Litre, 3 Shelves, 2 Door,	FM	142.0	1760 x 1100 x 465
AU25302OP	80 Litre, 2 Shelves, 2 Door,	FM	104.8	1230 x 1100 x 465
AU25748OP	50 Litre, 2 Shelves, 2 Doors	FM	86.1	800 x 920 x 565
AU25712OP	50 Litre, 2 Shelves, 1 Door	FM	59.0	1005 x 595 x 465

## **Pesticide Storage Cabinets**

These Cabinets are manufactured for the safe storage of Pesticides. A Safety Shower and Eye/Wash must be installed where packages are opened.



Storage Cabinet CAT.NO. AU25602P Capacity: 350 Litre 3 Shelves 15 x 20 Litre Containers



Storage Cabinet CAT.NO. AU25452P Capacity: 250 Litre 3 Shelves 9 x 20 Litre Containers



Storage Cabinet CAT.NO. AU25302P Capacity: 160 Litre 2 Shelves 6 x 20 Litre Containers



Storage Cabinet CAT.NO. AU25748P Capacity: 100 Litre 2 Shelves

Pe	esticide Storage Cabinets	Approval	Weight Kg	H x W x D mm
Storage Cabine	etsGreen Powder Paint Finish			
AU25602P	250 Litre, 3 Shelves, 2 Door ,12 x 20 Litre Drums	FM	177.8	1760 x 870 x 870
AU25452P	250 Litre, 3 Shelves, 2 Door, 9 x 20 Litre Drums	FM	142.0	1760 x 1100 x 465
AU25302P	160 Litre, 2 Shelves, 2 Door, 6 x 20 Litre Drums	FM	104.8	1230 x 1100 x 465
AU25748P	100 Litre, 2 Shelves, 2 Door,	FM	86.1	800 x 920 x 565

# **Toxic Substances Storage Cabinet**

These Cabinets are manufactured for the safe storage of Toxic / Poisons. A Safety Shower and Eye / Wash must be installed where packages are opened. Comply with AS/NZ 4452 - Class 6



**Storage Cabinet** CAT.NO. AU25452T Capacity 250 Litre 3 Shelves 9 x 20 Litre Containers



**Storage Cabinet** CAT.NO. AU25302T Capacity 160 Litre 2 Shelves 6 x 20 Litre Containers



**Storage Cabinet** CAT.NO. AU25748T Capacity 100 Litre 2 Shelves



Storage Cabinet AU25712T Capacity 60 Lt AU25714T Capacity 30 Lt Single Door

TOXIC SUBSTANCES	6		
		TOXIC SUBSTANCES	e
TOXIC 6			
		TOXIC 6	

#### **Substance Storage Cabinets** Weight Kg HxWxDmm Approval AU25452T 250 Litre, 3 Shelves, 2 Door, 9 x 20 Litre Drums FM 142.0 1760 x 1100 x 465 160 Litre, 2 Shelves, 2 Door, 6 x 20 Litre Drums FM 109.8 AU25302T 1230 x 1100 x 465 100 Litre, 2 Shelves, 2 Doors FM AU25748T 86.1 800 x 920 x 565 FΜ 60 Litre, 2 Shelves, 1 Door AU25712T 59.0 1005 x 595 x 465 30 Litre, 2 Shelves, 1 Door AU25714T FM 45.0 800 x 595 x 465

## **Oxidising Agents Storage Cabinets**

These Cabinets are manufactured for the safe storage of Oxidising Agents. A Safety Shower and Eye/Wash must be installed where packages are opened. Comply with AS 4326 - Class 5.1



**Storage Cabinet** CAT.NO. AU25452OA Capacity: 250 Litre / 3 Shelves 9 x 20 Litre Containers



**Storage Cabinet CAT.NO. AU253020A** Capacity: 160 Litre / 2 Shelves 6 x 20 Litre Containers



**Storage Cabinet** CAT.NO. AU25748OA Capacity: 100 Litre / 2 Shelves



**Storage Cabinet** CAT.NO. AU25712OA Capacity 60 Lt CAT NO. AU25714OA Capacity 30 Lt Single Door

Oxidising Agents Storage Cabinets		Approval	Weight Kg	H x W x D mm
Storage Cabinets	Yellow Powder Paint Finish			
AU25452OA	250 Litre, 3 Shelves, 2 Door, 9 x 20 Litre Drums	FM	142.0	1760 x 1100 x 465
AU25302OA	160 Litre, 2 Shelves, 2 Door, 6 x 20 Litre Drums	FM	104.8	1230 x 1100 x 465
AU25748OA	100 Litre, 2 Shelves, 2 Door,	FM	86.1	800 x 920 x 565
AU25712OA	60 Litre, 2 Shelves, Single Door	FM	59.0	1005 x 595 x 465
AU25714OA	30 Litre, 2 Shelves, Single Door	FM	45.0	800 x 595 x 465



self-close models).



Patented concealed selfclose mechanism provides obstruction free access to top shelf space. Self-indexing doors guarantee they will close in sequence and assure a tight closure from top to bottom (on self-close models).

NO IGNITION SOURCES WITHIN 3m

LAMMABLE



Rounded safety corners on doors reduce accidental nicks or cuts and potential hand injury.



Haz-Alert™ Reflective labeling provides high visibility in the dark under fire conditions or power outage when illuminated by a flashlight beam. Patent



Stainless steel, three-point bullet self-latching system provides easy, fail-safe, positive door closure with increased heat resistance.



Exclusive U•Loc™ Padlockable Handle. Optional padlock allows for extra security and keycoding multiples for convenient access. Flush paddle handle with slip resistant grip offers easy fingertip opertion and educes dangerous catches from passing taffic. Double key set included for keyed lock. Patent Pending



Minimal air-gaps provide better protection. Double wall thermal barrier. 1.2mm sheet steel thickness with 40mm wall spacing. Easy close, selflatching doors:

Fully-welded (not riveted) construction holds squareness for longer life, offering greater protection in a fire since air gaps are reduced.

Fusible links hold doors wide open and

melts at 74°C for automatic closure (on

Continuous piano hinge provides smooth closure.

Built-in grounding connector (on outside side panel) for easy grounding.

Dual vents with builtin flame arresters strategically placed at bottom and opposite top are welded, not screwed in place.

Durable and chemical resistant, hybrid leadfree powder coat paint finish, insideand-out, retains high gloss look and minimizes the effects of corrosion and humidity.



Adjustable leveling feet for stability on uneven surfaces.



Welded shelf hangers interlock with shelf to offer maximumino slip" stability... and no



Exclusive SpillSlope™ safety shelves diects spills to back and bottom of leak proof sumpleavy-gauge galvanized steel shelves are bi-directional and easily adjust on 76mm centers for versatile stope Each cabinet is proide standad with 150 mm deep sump to contain spills or leaks within the cabinet.

		C	ABINET DI	MENSIONS	121.1
Model Number	Capacity	Shelves	Doors H x W x D	External Measurement H x W x D	Internal Measurement
AU25602	350	3	2	1760 x 870 x 870	1520 x 785 x 785
AU25452	250	3	2	1760 x 1100 x 465	1520 x 1020 x 375
AU25302	160	2	2	1230 x 1100 x 465	990 x 1020 x 375
AU25304	110	2	1	1230 x 670 x 465	990 x 590 x 375
AU25308	170	3	I	1760 x 670 x 465	1520 x 590 x 375
AU25748	100	2	2	800 x 920 x 565	560 x 830 x 480
AU25712	60	2	1	1005 x 595 x 465	765 x 505 x 375
AU25714	30	2	1	800 x 595 x 465	560 x 505 x 375
AU25716	15	1	1	560 x 595 x 460	425 x 505 x 375
AU25701	250		2	1760 x 870 x 870	1520 x 785 x 785
AU25662	250		2	1385 x 765 x 1225	1145 x 685 x 1145
24040	8		L	500 x 365 x 415	380 x 285 x 330
24120	15		2	470 x 610 x 410	350 x 560 x 360
24140	90	I	2	908 x 915 x 560	758 x 865 x 510
24150	120	2	2	1525 x 1070 x 455	1375 x 1020 x 405
24160	30	2	2	890 x 920 x 600	720 x 805 x 475

All types of cabinets ha ve the same external measur ements. The internal measur ements shown are for "Flammable, Corrosive, Poison or Pesticide cabinets". For details on Organic Peroxides and Oxidising Agents please contact your nearest office for customer service.

# JUSTRITE SAFETY CAN STORAGE SOLUTIONS

### FLAMMABLE SAFETY STORAGE CANS & PRODUCTION SAFETY EQUIPMENT

Fire protective storage of flammables. Heavy-duty with double-seamed construction. All models have built in flash arresters to eliminate the risk from flashback causing explosion.









**SAFETY STORAGE CANS** 

SAFETY FUNNELS

**POLYETHYLENE CANS** 



**OILY WASTE CANS** 



SAFETY DISPENSING CANS



**SHELF DISPENSING** 



**PLUNGER CANS** 



**BENCH CANS** 



DISPOSAL CANS



**FITTINGS** 



RETRACTABLE STATIC GROUNDING REELS





ALL TRADES MANUFACTURING PTY LTD UNIT 11/5 HUDSON AVENUE, CASTLE HILL NSW 2154 PH – 02 8850 2700 FAX 02 8850 2701

"A-Z Product Solutions for Trade and Industry"